

Method, System, and Data Structure for Trustworthy Digital Document Interchange and Preservation

CLAIMS OF THIS INVENTION

- 555 1) A method for packaging information objects wherein the package includes an identifier of the package object itself and the whole is sealed by cryptographic message authentication
- 2) The method of claim (1), wherein the private key portion of a public/private key pair used for sealing is protected by use only in subsystems disconnected from networks and, optionally, is frequently replaced.
- 560 3) The method of claim (1), wherein a public key associated with the claim (2) private key is published and optionally endorsed by a certificate signed by an institution other than that to which the keys alluded to in claim (2) belong, with this endorsing institution having a business dependency on its reputation for care, know-how, and integrity.
- 565 4) The method of claim (1), including within the package a record describing a link between two information objects by referencing their identifiers or indices.
- 5) The method of claim (1), including within the package metadata recording a value that binds an external object defining a well-known ontology to an included payload element or link.
- 6) The method of claim (1), wherein an information object X included in the new package Z is itself packaged as described in claim (1) and wherein the identifier of Z alluded to in claim (1) has the
- 570 same value as the identifier of X.
- 7) A method for packaging an information object with metadata not otherwise provided, where such metadata includes software or instructions for interpretation of the information object, or alternatively contains a reference to a durable external deposit of such software or instructions.

- 8) The method of claim (7), wherein the information object and the information enabling its interpretation are bound together by a cryptographic message authentication code.
- 9) The method of claim (7), wherein the software for interpretation is encoded with the instruction set of a machine, called a Universal Virtual Computer (**UVC**), that is simple enough for complete specification so that it can be emulated without error or omission by any sufficiently skilled third party who has the specification of this **UVC**.
- 10) The method of claim (7), wherein the software and instructions alluded to implement well-known methods that are made reliably interpretable by their schema being standardized and identified by or included in the package.
- 11) A system for packaging information objects wherein the package created includes an identifier of the package object itself and the package is sealed by cryptographic message authentication.
- 12) The system of claim (11), wherein the private key portion of a public/private key pair used for sealing is protected by use only in subsystems disconnected from networks and, optionally, is frequently replaced.
- 13) The system of claim (11), wherein a public key associated with the claim (12) private key is published and optionally endorsed by a certificate signed by an institution other than that to which the keys alluded to in claim (12) belong, with this endorsing institution having a business dependency on its reputation for care, know-how, and integrity.
- 14) The system of claim (11), including within the package created a record describing a link between two information objects by referencing their identifiers or indices.
- 15) The system of claim (11), including within the package metadata recording a value that binds an external object defining a well-known ontology to an included payload element or link.
- 16) The system of claim (11), wherein an information object X included in the new package Z is itself packaged as described in claim (11) and wherein the identifier of Z alluded to in claim (11) has the same value as the identifier of X.

- 17) A system for packaging an information object together with metadata not otherwise provided, where
600 such metadata includes software or instructions for interpretation of the information object, or
alternatively contains a reference to a durable external deposit of such software or instructions.
- 18) The system of claim (17), wherein the information object and the information enabling its
interpretation are bound together by a cryptographic message authentication code.
- 19) The system of claim (17), wherein the software for interpretation is encoded with the instruction set
605 of a machine, called a Universal Virtual Computer (**UVC**), that is simple enough so that it can be
emulated without error or omission by any sufficiently skilled third party who has the specification of
this **UVC**.
- 20) The system of claim (17), wherein the software and instructions alluded to implement well-known
methods that are made reliably interpretable by their schema being standardized and either identified
610 or included in the package.
- 21) An article of manufacture containing packaged information objects wherein the package includes an
identifier of the package object itself and the package is sealed by cryptographic message
authentication.
- 22) The article of manufacture of claim (21), wherein the private key portion of a public/private key pair
615 used for sealing is protected against misappropriation by use only in subsystems disconnected from
networks and, optionally, is frequently replaced.
- 23) The article of manufacture of claim (21), wherein a public key associated with the claim (22) private
key is published and optionally endorsed by a certificate signed by an institution other than that to
which the keys alluded to in claim (22) belong, with this endorsing institution having a business
620 dependency on its reputation for care, know-how, and integrity.
- 24) The article of manufacture of claim (21), including the package recording a link between two
information objects by referencing their identifiers or indices.
- 25) The article of manufacture of claim (21), including within the package metadata recording a value
that binds an external object defining a well-known ontology to an included payload element or link.

- 625 26) The article of manufacture of claim (21), wherein an information object X included in the package Z is
itself packaged as described in claim (21) and wherein the identifier of Z alluded to in claim (21) has
the same value as the identifier of X.
- 27) An article of manufacture that packages an information object together with metadata not otherwise
provided, where such metadata includes software or instructions for interpretation of the information
630 object, or alternatively contains a reference to a durable deposit of such software or instructions.
- 28) The article of manufacture of claim (27), wherein the information object and the information enabling
its interpretation are bound together by a cryptographic message authentication code.
- 29) The article of manufacture of claim (27), wherein the software for interpretation is encoded with the
instruction set of a machine, called a Universal Virtual Computer (**UVC**), that is simple enough so
635 that it can be emulated without error or omission by any sufficiently skilled third party who has the
specification of this **UVC**.
- 30) The article of manufacture of claim (27), wherein the software and instructions alluded to implement
well-known methods that are made interpretable by their schema being standardized and identified
640 or included in the package.

20030320 14:00:00